



LEGEND

	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	Vinyl chloride
IDEML RISC Default Industrial Cleanup Level	55	31	1,000	2,000	4
IDEML RISC Default Residential Cleanup Level; IDEML 2012 RCG Tap Residential	5	5	70	100	2

All Values Over IDEML Industrial Default Cleanup Levels In Red
 All Values Over IDEML Residential Default Cleanup Levels/2012 RCG Tap - Residential Screening Level In Blue
 PCE = Trichloroethene
 TCE = Trichloroethene
 cis-1,2-DCE = cis-1,2-Dichloroethene
 trans-1,2-DCE = trans-1,2-Dichloroethene
 ug/l = micrograms per liter
 NS = Not Sampled
 All analytical results presented in micrograms per liter (ug/l)

0 SCALE 200
feet

110 South Downey Avenue
Indianapolis, Indiana 46219
317-630-9060, fax 317-630-9065
www.MundellAssociates.com

Project Number:
M01046
Drawing File:
3Q12 QMR
Date Prepared:
10-31-12
Scale:
1"=200'

GROUNDWATER ANALYTICAL MAP - DEEP
3RD QUARTER 2012

Michigan Plaza
3801 - 3823 West Michigan Street
Indianapolis, INDIANA

FIGURE
5